

ARCH 631. Study Guide for Exam 1

This guide is not providing “answers” for the conceptual questions. It is a list of topical concepts and their application you should be familiar with. It is an *aid* to help prepare for the mid-term exam.

Covers material of Lectures 1, 2, 3, 4, 5, & 6

Statics & Mechanics

- | | |
|---|--|
| <input type="checkbox"/> Vectors and scalars | <input type="checkbox"/> Location of zero shear (x) and relation to maximum moment |
| <input type="checkbox"/> Parallelogram law | <input type="checkbox"/> Slope relationships with integration |
| <input type="checkbox"/> Tip-to-tail method | <input type="checkbox"/> Normal stress (compression & tension) |
| <input type="checkbox"/> Internal vs. external forces | <input type="checkbox"/> Shear stress (non beams) |
| <input type="checkbox"/> Tension and compression | <input type="checkbox"/> Bearing stress |
| <input type="checkbox"/> Resultant of a force | <input type="checkbox"/> Bending & shear stress (beams) |
| <input type="checkbox"/> Component of a force | <input type="checkbox"/> Torsional (shear) stress (with respect to shape and where maximum occurs) |
| <input type="checkbox"/> Moment of a force | <input type="checkbox"/> Relation of strain to stress & Modulus of Elasticity |
| <input type="checkbox"/> Moment of a distributed load | <input type="checkbox"/> Brittle, Ductile & Semi-brittle material behavior |
| <input type="checkbox"/> Moment Couple | <input type="checkbox"/> Yield strength (or point & proportional limit) |
| <input type="checkbox"/> Equivalent Force Systems | <input type="checkbox"/> Elastic vs. plastic range |
| <input type="checkbox"/> Concurrent vs non-concurrent force systems | <input type="checkbox"/> Ultimate strength |
| <input type="checkbox"/> Equilibrium | <input type="checkbox"/> Strength vs. stress |
| <input type="checkbox"/> Newton’s First Law | <input type="checkbox"/> Rupture / Fatigue behavior |
| <input type="checkbox"/> Direction and type of force in a cable with relation to geometry | <input type="checkbox"/> Creep |
| <input type="checkbox"/> Free Body Diagram | <input type="checkbox"/> Orthotropic vs. Isotropic vs. Anisotropic materials |
| <input type="checkbox"/> Reactions at a support and relationship to motion prevented | <input type="checkbox"/> Stress concentration |
| <input type="checkbox"/> Statically Determinate vs. Indeterminate | <input type="checkbox"/> Thermal vs. elastic strains |
| <input type="checkbox"/> Two-force bodies and relationship to loads | <input type="checkbox"/> Geometric constraints |
| <input type="checkbox"/> Three-force bodies | <input type="checkbox"/> Serviceability |
| <input type="checkbox"/> Fixed-end moment reactions | <input type="checkbox"/> Buckling |
| <input type="checkbox"/> Pin connections | <input type="checkbox"/> Deflections & elongation |
| <input type="checkbox"/> Method of Joints | <input type="checkbox"/> Stiffness (relative to EI/L through Δ , or AE/L through δ) |
| <input type="checkbox"/> Method of Sections | <input type="checkbox"/> <i>Superpositioning</i> |
| <input type="checkbox"/> Actions vs. reactions | <input type="checkbox"/> Single vs. double shear |
| <input type="checkbox"/> Internal shear, axial force & bending moment | |
| <input type="checkbox"/> Inflection point on moment diagram | |
| <input type="checkbox"/> Effect of forces on shear diagram | |
| <input type="checkbox"/> Effect of moments on moment diagram | |

General: Design

-
- | | |
|--|--|
| <input type="checkbox"/> Allowable Stress Design | <input type="checkbox"/> Building codes vs. standards vs. structural codes |
| <input type="checkbox"/> Load and Resistance Factor Design | <input type="checkbox"/> Stability of systems & members |
| <input type="checkbox"/> Factored loads | <input type="checkbox"/> Design vs. analysis |
| <input type="checkbox"/> Resistance Factors | <input type="checkbox"/> Efficiency |
| <input type="checkbox"/> “Design” values vs. “Capacity” | <input type="checkbox"/> Load tracing & (con)tributary width (vs. area) |
| <input type="checkbox"/> Factor of Safety | <input type="checkbox"/> Static vs. dynamic loads |
| <input type="checkbox"/> Density of materials and relation to weight | <input type="checkbox"/> Equivalent static wind load & pressure |
| <input type="checkbox"/> Load types (and directions)
(like D , L , S ...) | <input type="checkbox"/> Concentrated loads |
| <input type="checkbox"/> Minimum loads (building codes) | <input type="checkbox"/> Distributed loads – uniform / non-uniform |
| <input type="checkbox"/> Load combinations | <input type="checkbox"/> Result of acceleration on a mass and Weight |
| <input type="checkbox"/> Serviceability and limits (ex. ponding) | <input type="checkbox"/> Period of vibration, frequency, damping & resonance |
| <input type="checkbox"/> Live load reduction | |

General: Systems

-
- | | |
|---|--|
| <input type="checkbox"/> One-way vs. two-way systems | <input type="checkbox"/> “Shear & Moments” in parallel chord trusses |
| <input type="checkbox"/> Truss configurations and assumptions for analysis | <input type="checkbox"/> Lenticular truss |
| <input type="checkbox"/> Zero-force member | <input type="checkbox"/> Vierendeel “truss” |
| <input type="checkbox"/> Special truss member configurations at joints and conditions | <input type="checkbox"/> Catenary shape, sag |
| <input type="checkbox"/> Basis of graphical truss analysis (aka Maxwell’s diagram) | <input type="checkbox"/> Cable-stayed |
| <input type="checkbox"/> Compound truss | <input type="checkbox"/> Pinned arches (2 vs. 3) & rigid arches |
| <input type="checkbox"/> “Cable” truss members | <input type="checkbox"/> “Thrust” |
| | <input type="checkbox"/> Types and purpose of bracing |
| | <input type="checkbox"/> Bearing, shear, curtain walls ... |

General: Columns

-
- | | |
|---|---|
| <input type="checkbox"/> Stability | <input type="checkbox"/> Combined bending and compression –
<i>interaction equations or diagrams</i> |
| <input type="checkbox"/> Buckling vs. crushing | <input type="checkbox"/> P- Δ effect |
| <input type="checkbox"/> Slenderness | <input type="checkbox"/> Eccentricity |
| <input type="checkbox"/> Critical Buckling and Euler’s Formula | <input type="checkbox"/> Kern |
| <input type="checkbox"/> Effective length, K & bracing (end conditions) | |
| <input type="checkbox"/> Beam-Columns (eccentric loading) | |

General: Beams

-
- | | |
|---|--|
| <input type="checkbox"/> Simply supported | <input type="checkbox"/> Centroid, moment of inertia, Q , radius of gyration |
| <input type="checkbox"/> Overhang | <input type="checkbox"/> Neutral axis, section modulus, extreme fiber |
| <input type="checkbox"/> Cantilever | <input type="checkbox"/> Negative area method |
| <input type="checkbox"/> Continuous | <input type="checkbox"/> Parallel axis theorem |
| <input type="checkbox"/> w vs. W | <input type="checkbox"/> Maximum bending stress (& location along length and in cross section) |
| <input type="checkbox"/> Equivalent center of load area | |
| <input type="checkbox"/> Built-up shape | |

General: Beams (Continued)

- Maximum shear stress (& location along length and in cross section)
- Maximum shear stress by beam shape (proper equations)
- Shear flow and shear center
- Lateral buckling (and bracing)
- Torsion stresses and cross section shape
- Stress types in beams
- Self-weight
- Deflections & superpositioning (+ *units*)
- Use of Beam Diagrams and Formulas
- Principal stresses
- Efficient cross-section shapes
- Shaping a beam along the length for efficiency.
- Location of supports and efficiency.
- “Effective length” and points of inflection
- Methods for analysis of statically indeterminate beams
- Support settlements and stress redistribution
- Loading patterns for spans